



# METAL CASE LED

Hantarex International Limited  
34 Salisbury Street  
London, NW8 8QE  
Tel: 0044 (0) 208 778 1414  
e-Mail: [sales@hantarex.com](mailto:sales@hantarex.com)

## DSMH27LED-WGF

27" (16:9) LCD Monitor with Glass front

### DSMH27LED-WGF

Panel Type	27" (16:9) LCD Monitor with Glass front
Case Type	Metal
Maximum Resolution	1920(H) x 1080(V)
Active Display Area	597.89 (H) X 336.31 (W) mm
Pixel Pitch	0.3114 H) x 0.3114 (V) mm
Bezel Thickness	24.5 mm
Contrast Ratio	1200:1
Brightness	300 cd/m <sup>2</sup>
Response Time	5.5ms
Viewing Angle	U/D: 80° / 80°, L/R: 85° / 85° - 16.7 M
Display Colours	16.7 M
Video Synchronization	TTL Positive or Negative
PC Compatible Frequency	30-80KHz(H) / 50-75Hz(V)
Adjustable Colour Temperature	9300K / 6500K / 5800K / User
Video Compatibility	Multi-Standard for NTSC / PAL
Aspect Ratio	16:9
VGA Auto Frequency correction	Yes
Speaker	Multimedia Speakers
Number of Speakers	Right x 1 Left x 1, 2.5W
Sound Demodulation	Stereo. Audio
Mute	Yes
Work Humidity	20% - 70%
Work Temperature	-10 to 50 °C
Volume +/- Power On/Off	Yes



### POWER

Power Supply	Built in
Voltage	AC100 - 240V 50 / 60Hz
Power Consumption	< 75W in "ON" Mode

### OSD CONTROLS

Contrast, Brightness, Clock, H-Position, V-Position, Language

### OSD LANGUAGE

English, French, German, Spanish, Italian, Russian, Polish and Portuguese

### ACCESSORIES

Kettle Lead / VGA Cable / Audio Cable / Remote Control / User Manual

### IN/OUT INTERFACE

Video Interface	HDMI x1 VGA x 1 BNC x 2 In / BNC x2 Out
Audio Interface	Audio in x 1
Power Interface	AC 100 -240v In x 1
Termination	75 Ohms (Automatic termination)
Safety & EMC Certification	Energy Star / CE / FCC / ROHS / WEEE
Vesa Standard Mount	200 x 200mm
Stand Type	Desktop
Colour	Black
Packing Dimension	780 (W) x 600 (H) x 370 (D) mm
NET Weight	10.9 Kg
GROSS Weight	13.9 Kg



